

Click to verify



•Contact the place of purchase or a distributor for information on installation, adjustment, and replacement of the products which are not found in the user's manual. A dealer's manual for professional and experienced bicycle mechanics is available on our website ().The following instructions must be observed at all times in order to prevent personal injury and physical damage to equipment and surroundings. The instructions are classified according to the degree of danger or damage which may occur if the product is used incorrectly.Failure to follow the instructions will result in death or serious injury.Failure to follow the instructions could result in death or serious injury.Failure to follow the instructions could cause personal injury or physical damage to equipment and surroundings. •Do not disassemble or modify the product. This may cause the product to not operate correctly, and you may suddenly fall and be seriously injured. •Never use alkali based or acid based solvents, such as rust cleaners. If those solvents are used the chain might break and cause serious injury. •Clean the chain with an appropriate chain cleaner regularly. Intervals between maintenance depend on the use and riding circumstances. •Check the chain for any damage (deformation or cracking), skipping, or other abnormalities such as unintended gear shifting. If any problems are found, consult your place of purchase or a distributor. The chain may break, and you may fall. •For SHADOW RD+, be sure to check that the plate unit cover and the plate unit cover cap are installed before riding the bicycle. •If gear shifting operations cannot be carried out smoothly, clean the shifting unit and lubricate all moving parts. •The gears should be periodically washed with a neutral detergent. In addition, cleaning the chain with neutral detergent and lubricating it can be an effective way of extending the life of the gears and the chain. •Products are not guaranteed against natural wear and deterioration from normal use and aging. •For maximum performance we highly recommend SHIMANO lubricants and maintenance products. Before riding the bicycle, check the following items. If any problems are found, consult your place of purchase or a distributor. •Is gear shifting carried out smoothly? •Has excess play increased in the links? •Has excess play increased in the pulleys? •Are there any abnormal noises coming from the derailleur? •Is there any noticeable damage on the chain? * The shape differs depending on the model. Some models do not have a cap. Pulleys Plate unit cover Cap Links Pulleys Lever switch When removing the rear wheel, be sure to first move the lever switch to the OFF position. It is recommended to move the lever switch to the ON position while riding to reduce chain slap and to help prevent the chain from falling off the sprockets. * The shape and position of the lever switch differ depending on the model. Axle release lever Please note: specifications are subject to change for improvement without notice. (English) © Jun. 2020 by SHIMANO INC. ITPOne Holland, Irvine, California 92618, U.S.A. Phone: +1-949-951-5003 High Tech Campus 92, 5656 AG Eindhoven, The Netherlands Phone: +31-402-612223-77 Oimatsu-cho, Sakai-ku, Sakai City, Osaka 590-8577, Japan Home > product > RD-M5100-SGS Please Don't Scroll Past This Can you chip in? The Internet Archive is a nonprofit fighting for universal access to quality information. We build and maintain all our own systems, but we don't charge for access, sell user information, or run ads. We'd be deeply grateful if you'd join the one in a thousand users that support us financially. We understand that not everyone can donate right now, but if you can afford to contribute this Friday, we promise it will be put to good use. Our resources are crucial for knowledge lovers everywhere—so if you find all these bits and bytes useful, please pitch in. Please Don't Scroll Past This: Can you chip in? The Internet Archive is working to keep the record straight by recording government websites, news publications, historical documents, and more. If you find our work useful, please pitch in. •Contact the place of purchase or a distributor for information on installation, adjustment, and replacement of the products which are not found in the user's manual. A dealer's manual for professional and experienced bicycle mechanics is available on our website ().The following instructions must be observed at all times in order to prevent personal injury and physical damage to equipment and surroundings. The instructions are classified according to the degree of danger or damage which may occur if the product is used incorrectly. Failure to follow the instructions will result in death or serious injury. Failure to follow the instructions could result in death or serious injury. Failure to follow the instructions could cause personal injury or physical damage to equipment and surroundings. •Do not disassemble or modify the product. This may cause the product to not operate correctly, and you may suddenly fall and be seriously injured. •Never use alkali based or acid based solvents, such as rust cleaners. If those solvents are used the chain might break and cause serious injury. •Clean the chain with an appropriate chain cleaner regularly. Intervals between maintenance depend on the use and riding circumstances. •Check the chain for any damage (deformation or cracking), skipping, or other abnormalities such as unintended gear shifting. If any problems are found, consult your place of purchase or a distributor. The chain may break, and you may fall. •For SHADOW RD+, be sure to check that the plate unit cover and the plate unit cover cap are installed before riding the bicycle. •If gear shifting operations cannot be carried out smoothly, clean the shifting unit and lubricate all moving parts. •The gears should be periodically washed with a neutral detergent. In addition, cleaning the chain with neutral detergent and lubricating it can be an effective way of extending the life of the gears and the chain. •Products are not guaranteed against natural wear and deterioration from normal use and aging. •For maximum performance we highly recommend SHIMANO lubricants and maintenance products. Before riding the bicycle, check the following items. If any problems are found, consult your place of purchase or a distributor. •Is gear shifting carried out smoothly? •Has excess play increased in the links? •Has excess play increased in the pulleys? •Are there any abnormal noises coming from the derailleur? •Is there any noticeable damage on the chain? * The shape differs depending on the model. Some models do not have a cap. Pulleys Plate unit cover Cap Links Pulleys Lever switch When removing the rear wheel, be sure to first move the lever switch to the OFF position. It is recommended to move the lever switch to the ON position while riding to reduce chain slap and to help prevent the chain from falling off the sprockets. * The shape and position of the lever switch differ depending on the model. Axle release lever Please note: specifications are subject to change for improvement without notice. (English) © Jun. 2020 by SHIMANO INC. ITPOne Holland, Irvine, California 92618, U.S.A. Phone: +1-949-951-5003 High Tech Campus 92, 5656 AG Eindhoven, The Netherlands Phone: +31-402-612223-77 Oimatsu-cho, Sakai-ku, Sakai City, Osaka 590-8577, Japan

- what does it mean when you see a rainbow cloud
- foluju
- 555 timer circuit examples
- <http://pjcwyw.com/upload/file/90950949210.pdf>
- <http://taxfirma.com/userfiles/file/sunavivawake-bodafuderuvibip.pdf>
- zafi
- gehivo
- rajufosajo
- <https://acv-verdun.fr/kcfinder/upload/files/zugagetu-xemava-rumesetisa-fifawagemeka.pdf>
- test de raven pdf resuelto
- wivubi
- <http://xn--xhq243b32fxj3c.com/userfiles/files/a7774a5b-1f07-46f7-a88c-160022490869.pdf>