Continue

If you have difficulty with your thermostat, please try the following suggestions. Most problems can be corrected quickly and easily. Honeywell TH4110D1007 Display is blank Check circuit breaker and reset if necessary. Make sure power switch at heating & cooling system is on. Make sure furnace door is closed securely. Make sure fresh AA alkaline batteries are correctly installed (see page 5). Honeywell TH4110D1007 Heatingor cooling system does not respond Set system switch to Heat (see page 1). Make sure the temperature is set higher than the Inside temperature. Set system switch to Cool (see page 1). Make sure the temperature is set lower than the Inside temperature. Wait 5 minutes for the system to respond. Honeywell TH4110D1007 Temperature settings do not change Make sure heating and cooling temperatures are set to acceptable ranges: Heat: 40° to 90°F (4.5° to 32°C). Cool: 50° to 99°F (10° to 37°C). “Cool On” or “Heat On” is flashing Compressor protection feature is engaged. Wait 5 minutes for the system to restart safely, without damage to the compressor (see page page 5). Honeywell Pro 4000 Series “Heat On” is not displayed Set the System switch to Heat, and set the temperature level above the current room temperature (see page 1). “Cool On” is not displayed Set the System switch to Cool, and set the temperature level below the current room temperature (see page 1). Readmore and Download Honeywell Pro 4000 Series/TH4110D1007 Owner's Manual PDF Title : Download Honeywell Pro 4000 Series/TH4110D1007 Owner's Manual PDF Format : PDF Pages : 52 Pages Language : English File Size : 3 MB First, choose your thermostat from the menu below. Then follow the directions for the type of reset you need. Try a different reset if the one you tried does not fix the issue. If you've tried all the reset options, reach out to Customer Support for further assistance. Call Support Chat with a specialist Choose your thermostat: Have a device that isn't listed here? Contact Support at 1-855-733-5465 or use our find a pro tool to find a professional installer near you. T9 (RCHT9510WF, RCHT9610WF) PERFORMING A FACTORY RESET Press the Menu icon Scroll down to “Advanced Setup” and select it Select “Reset” Select “Factory Reset” PERFORMING A WiFi RESET Press the Menu icon Scroll down to “WiFi” and select it Select “Change Network” Select the new WiFi network and enter the password PERFORMING A SCHEDULE RESET Press the Menu icon Scroll down to “Advanced Setup” and select it Select “Reset” Select “Schedule Reset” PERFORMING A HOMEKIT RESET Press the Menu icon Scroll down to “Advanced Setup” and select it Select “Reset” Select “HomeKit Reset” T10 (THX321WF) PERFORMING A FACTORY RESET Press the Menu Icon Scroll down to “Thermostat Information Record the “Date Code” Press the “back” arrow, then scroll down to “Installer Options” Enter the Date Code when prompted to “Enter your password” Select “Reset” Select “Factory Reset” PERFORMING A WiFi RESET Press the Menu icon Scroll down to “WiFi” and select it Select “Change Network” Select the new WiFi network and enter the password PERFORMING A SCHEDULE RESET Press the Menu Icon Scroll down to “Thermostat Information Record the “Date Code” Press the “back” arrow, then scroll down to “Installer Options” Enter the Date Code when prompted to “Enter your password” Select “Reset” Select “Schedule Reset” PERFORMING A HOMEKIT RESET Press the Menu Icon Scroll down to “Thermostat Information Record the “Date Code” Press the “back” arrow, then scroll down to “Installer Options” Enter the Date Code when prompted to “Enter your password” Select “Reset” Select “HomeKit” T5+/T5/T6 (RCHT8610WF, RCHT8612WF, TH6320WF2, TH6220WF2) PERFORMING A FACTORY RESET Press and hold Menu Press > until you see Reset, and then select it Press > until you see Factory Reset, and then select it Congratulations! You’ve reset your device! You can now configure your device for its new settings, either using the Resideo App, or on the thermostat screen itself. PERFORMING A WiFi RESET Press and hold Menu Press > until you see Reset, and then select it Press > until you see WiFi, and then select it Congratulations! You’ve reset your device! PERFORMING A SCHEDULE RESET Press and hold Menu Press [Symbol] until you see Reset, and then select it Press [Symbol] until you see Schedule, and then select it Congratulations! You’ve reset your device! PERFORMING A HOMEKIT RESET Press and hold Menu Press > until you see Reset, and then select it Press > until you see HomeKit Reset, and then select it Congratulations! You’ve reset your device! Smart/Lyric Round (TH8732WFH) PERFORMING A FACTORY RESET Press and hold the Cloud Icon Press i until you see Reset, and then select it Congratulations! You’ve reset your device! You can now configure your device for its new settings via the “+” icon, or “Add new device” button on your Resideo App. You can also configure your thermostat on the thermostat screen itself using the Installation Guide. PERFORMING A WiFi RESET Press and hold the Cloud Icon Press i until you see WiFi, and then select it Press i until you reach Setup, and then select it. Congratulations! You’ve reset your device! PERFORM A SCHEDULE RESET Press Menu Press Preferences Press Restore Default Schedule Congratulations! You’ve reset your device! PERFORMING A HOMEKIT RESET Press and hold the Cloud Icon Press i until you see HomeKit Reset, and then select it Congratulations! You’ve reset your device! Smart WiFi 9000 (RTH9580WF, RTH9585WF, TH9320WF) PERFORMING A FACTORY RESET Press Menu, and then select Preferences Press Restore Factory Defaults Select Yes Congratulations! You’ve reset your device! PERFORMING A WiFi RESET Press Menu Press WiFi Setup Congratulations! You’ve reset your device! PERFORMING A SCHEDULE RESET Press Menu Press Preferences Press Restore Default Schedule Congratulations! You’ve reset your device! FocusPro 6000 (TH6320WF1, RTH6580WF) PERFORM FACTORY RESET Press and hold and Fan Change the number on the left to 90, and the number on the right to 1 Press Done Congratulations! You’ve reset your device! You can now configure your device for its new settings on the thermostat screen. PERFORM A WiFi RESET Press and hold and Fan Change the number on the left to 39, and the number on the right to 0 Press Done Congratulations! You’ve reset your device! PERFORM A SCHEDULE RESET Press and hold and Fan Change the number on the left to 85, and the number on the right to 1 Press Done Congratulations! You’ve reset your device! VisionPRO 8000 (TH8320WF, RTH8580WF) PERFORM FACTORY RESET Press System Press and hold the blank box in the center Change the number on the left to 0710, and the number on the right to 1 Press Done Congratulations! You’ve reset your device! You can now configure your device for its new settings via the thermostat screen. PERFORM A WiFi RESET Press System Press and hold the blank box in the center Change the number on the left to 0900, and the number on the right to 0 Press Done Congratulations! You’ve reset your device! PERFORM A SCHEDULE RESET Press System Press and hold the blank box in the center Change the number on the left to 0165, and the number on the right to 1 Press Done Congratulations! You’ve reset your device! VisionPRO TH8321WF PERFORM FACTORY RESET Press Menu Go to Dealer Information Scroll to the bottom and write down the date code Press Done Scroll down to Installer Options Enter the date code. Select Reset to Defaults. Select Yes Congratulations! You’ve reset your device! You can now configure your device for its new settings via the thermostat screen. PERFORM A WiFi RESET Press Menu Press i until you see WiFi Setup Select WiFi Setup Congratulations! You’ve reset your device! PERFORM A SCHEDULE RESET Press Menu Press i until you see Preferences, and then select it Press i until you see Default Schedule, and then select it Congratulations! You’ve reset your device! Camera (C1, C2) PERFORM FACTORY RESET Press and hold the reset button for 45 seconds Congratulations! You’ve reset your device! You can now configure your device for its new settings via the “+” icon, or “Add new device” button on your Resideo App. PERFORM A WiFi RESET Press and hold the reset button for 45 seconds Congratulations! You’ve reset your device! Water Leak Detector PERFORM FACTORY RESET Press and hold the reset button for 45 seconds Congratulations! You’ve reset your device! You can now configure your device for its new settings via the “+” icon, or “Add new device” button on your Resideo App. PERFORM A WiFi RESET Press and hold the reset button for 45 seconds Congratulations! You’ve reset your device! Smart Home Security PERFORM FACTORY RESET Press and hold the action button for 30 seconds When prompted, press the action button once again Congratulations! You’ve reset your device! You can now configure your device for its new settings via the “+” icon, or “Add new device” button on your Resideo App. PERFORM A WiFi RESET Press and hold the action button for 30 seconds When prompted, press the action button once again Congratulations! You’ve reset your device! Troubleshoot Additional Thermostat Issues Check You Thermostat Wiring Capability Was this article helpful? Yes No Thanks for your feedback! We’ll use this information to improve our help and support content in the future. ** As an Amazon Associate, I earn from qualifying purchases. Resetting your Honeywell thermostat is simple. It takes just a few steps. This guide helps you understand the process clearly. Your Honeywell thermostat controls your home’s temperature. Sometimes, it might need a reset. This can fix minor issues or help start fresh with new settings. A reset is handy if you face problems with your thermostat or want to clear out old data. Knowing how to reset it properly ensures your home stays comfortable. In this blog, you will learn easy steps to reset your Honeywell thermostat. Follow along to make sure your device works smoothly. Credit: www.youtube.com Resetting the Honeywell thermostat can seem tricky. But with the right preparation, it becomes straightforward. This guide will help you get ready for the task. Let’s dive into the necessary steps before you reset your thermostat.Before starting, collect all the needed tools. You will need a small screwdriver. A flashlight might also be helpful. Keep a notepad and pen handy. They will help you remember the settings. Having everything ready will save time.Safety PrecautionsSafety comes first. Turn off the power to the thermostat. This will prevent any electrical shocks. Use your flashlight to see better in low light. Check the wires carefully. Make sure they are not damaged. If you see any issues, consult an expert. Credit: www.electronicshub.org Resetting your Honeywell thermostat can solve many common issues. Let’s explore the basic reset steps. Resetting your thermostat is a straightforward process. It requires locating the reset button and following the manufacturer’s instructions. Follow these steps to ensure a smooth reset.Locate The Reset ButtonThe first step is to find the reset button. On most Honeywell thermostats, the reset button is easy to spot. It is often labeled clearly. Look for a small button on the front or side of the unit. If you can’t find it, refer to your user manual. The manual will show you the exact location.Follow Manufacturer InstructionsNext, follow the instructions provided by Honeywell. Each model may have slightly different steps. It’s important to follow the specific guide for your model. Usually, you need to press and hold the reset button. Hold it for a few seconds until the display changes. This indicates that the reset is in progress.After releasing the button, the thermostat should restart. It will restore to default settings. Check the user manual for any additional steps. Some models may require additional confirmations. Follow all steps carefully to ensure a successful reset. Resetting your Honeywell thermostat can be a straightforward process, but sometimes you may need to delve into more advanced reset methods. Whether you’re dealing with persistent issues or simply want to start afresh, advanced reset methods can be a lifesaver. Below, we will explore two effective ways to reset your Honeywell thermostat.One of the easiest ways to reset your Honeywell thermostat is through its menu. Begin by pressing the ‘Menu’ button on your thermostat. Navigate through the options until you find ‘Preferences’ or ‘Settings’.Once there, look for an option that says ‘Reset’ or ‘Restore Settings’. This option allows you to reset specific settings like Wi-Fi or scheduling preferences without wiping out all your custom settings.This method is great if you’re facing network issues or wish to tweak certain aspects without starting over completely. Have you ever tried this method? It’s surprisingly simple and effective!Factory Reset OptionSometimes, a complete factory reset is necessary. This method wipes out all your settings and returns the thermostat to its original state, just like when you first bought it.To perform a factory reset, press the ‘Menu’ button and navigate to ‘Preferences’ or ‘Settings’. Scroll down until you find ‘Factory Reset’. Confirm your choice and wait for the thermostat to restart.This method is particularly useful if you’re moving to a new home or handing over the thermostat to someone else. Have you ever wondered why a factory reset is recommended before selling any electronic device? It ensures all your personal settings and data are completely erased.Advanced reset methods provide you with options tailored to different needs, ensuring that your Honeywell thermostat functions optimally. Have you tried these methods? Share your experience in the comments below! Resetting your Honeywell thermostat can sometimes be tricky, especially when you run into unexpected issues. Troubleshooting these issues effectively ensures your thermostat functions optimally. Let’s dive into the common issues and error codes that might pop up during the reset process.Common IssuesOne common issue you might encounter is a blank display. This often indicates a power problem. Check if the thermostat is properly connected to the power source.Another issue is when your thermostat doesn’t respond to settings changes. This can be frustrating, especially if you’re trying to adjust the temperature on a hot day. Ensure the settings are correctly configured and the device is not in ‘lock’ mode.Sometimes, you might notice that the temperature readings are inaccurate. This can lead to discomfort in your home. Make sure the thermostat is placed away from direct sunlight or drafts, as these can affect its accuracy. ** As an Amazon Associate, I earn from qualifying purchases. Error CodesHoneywell thermostats display various error codes to indicate specific problems. For instance, you might see an “E1” error code. This usually means there’s a problem with the sensor.An “E2” error code is another common one. This typically indicates an issue with the heating system. It’s crucial to check the connections and ensure everything is plugged in correctly.If you see an “E3” error code, it often points to a communication error between the thermostat and the HVAC system. Resetting the system can sometimes clear this error.Understanding these codes helps you diagnose the problem quickly. It saves time and reduces frustration. Have you ever encountered any of these issues? Knowing how to troubleshoot can make all the difference. Post-reset Actions After resetting your Honeywell thermostat, some important steps need to be taken. These steps ensure your thermostat works correctly and efficiently. Follow these actions to get the best performance from your device.Reprogram SettingsFirst, reprogram the thermostat settings to suit your preferences. This involves setting the correct date and time. Adjust the temperature settings for different times of the day. Set up any schedules that fit your daily routine. Ensure the thermostat is set to the right mode. For example, choose heating or cooling based on the season.Test Thermostat FunctionalityNext, test the thermostat functionality to ensure everything works as expected. Check if the device responds to your temperature settings. Observe if the heating or cooling system turns on and off at the correct times. Verify that the display shows accurate information. If any issues arise, consult the user manual or contact Honeywell support for assistance. Credit: rightnowheatcool.com Maintenance Tips Maintaining your Honeywell thermostat is crucial for its longevity and efficiency. Regular maintenance ensures it works effectively and saves energy. Here are some maintenance tips to keep your thermostat in top shape.Regular ChecksRegularly check your thermostat for dust and debris. A clean thermostat is more efficient and less likely to malfunction. Use a soft, dry cloth to wipe the exterior.Inspect the battery status periodically. Low batteries can cause erratic performance. Replace them with fresh ones promptly to avoid disruptions.Ensure the thermostat is level and securely attached to the wall. Misalignment can affect its accuracy. A simple level tool can help you check this.Professional ServicingConsider professional servicing annually. Technicians can spot issues you might miss. They can also perform advanced cleaning and calibration.Professional servicing ensures your thermostat is up-to-date with any firmware updates. This keeps it running smoothly and efficiently.Think about how often you use your HVAC system. More frequent use might require more frequent professional checks. It’s worth the investment for peace of mind.Have you ever wondered if your thermostat is working at its best? Regular checks and professional servicing can make a world of difference. Take action today for a more efficient home. To reset your Honeywell home thermostat, turn off the thermostat, remove the batteries, wait 10 seconds, then reinsert them. To reset your Honeywell thermostat without the menu button, turn off the power to the unit. Remove the thermostat from the wall plate. Wait for 10-15 seconds, then reattach it. Turn the power back on. The thermostat should reset. To perform a hard reset on a thermostat, turn off the power. Remove the batteries and wait 10 minutes. Reinsert batteries and restore power. Follow the manufacturer’s instructions for specific models. Reset the thermostat by turning it off, waiting 30 seconds, and then turning it back on. Check and replace batteries if needed. Ensure proper wiring connections. Adjust the temperature settings. Consult the user manual or contact Honeywell support for further assistance. Resetting your Honeywell thermostat is simple. Follow the steps carefully. You’ll restore your device to its default settings easily. This guide ensures your thermostat works efficiently again. Take a few minutes, and you’ll have a reset thermostat. Remember, a well-functioning thermostat keeps your home comfortable. Happy resetting! ** As an Amazon Associate, I earn from qualifying purchases. First, choose your thermostat from the menu below. Then follow the directions for the type of reset you need. Try a different reset if the one you tried does not fix the issue. If you've tried all the reset options, reach out to Customer Support for further assistance. Call Support Chat with a specialist Choose your thermostat: Have a device that isn't listed here? Contact Support at 1-855-733-5465 or use our find a pro tool to find a professional installer near you. T9 (RCHT9510WF, RCHT9610WF) PERFORMING A FACTORY RESET Press the Menu icon Scroll down to “Advanced Setup” and select it Select “Reset” Select “Factory Reset” PERFORMING A WiFi RESET Press the Menu icon Scroll down to “WiFi” and select it Select “Change Network” Select the new WiFi network and enter the password PERFORMING A SCHEDULE RESET Press the Menu icon Scroll down to “Advanced Setup” and select it Select “Reset” Select “Schedule Reset” PERFORMING A HOMEKIT RESET Press the Menu icon Scroll down to “Advanced Setup” and select it Select “Reset” Select “HomeKit Reset” T10 (THX321WF) PERFORMING A FACTORY RESET Press the Menu Icon Scroll down to “Thermostat Information Record the “Date Code” Press the “back” arrow, then scroll down to “Installer Options” Enter the Date Code when prompted to “Enter your password” Select “Reset” Select “Factory Reset” PERFORMING A WiFi RESET Press the Menu icon Scroll down to “WiFi” and select it Select “Change Network” Select the new WiFi network and enter the password PERFORMING A SCHEDULE RESET Press the Menu Icon Scroll down to “Thermostat Information Record the “Date Code” Press the “back” arrow, then scroll down to “Installer Options” Enter the Date Code when prompted to “Enter your password” Select “Reset” Select “Schedule Reset” PERFORMING A HOMEKIT RESET Press the Menu Icon Scroll down to “Thermostat Information Record the “Date Code” Press the “back” arrow, then scroll down to “Installer Options” Enter the Date Code when prompted to “Enter your password” Select “Reset” Select “HomeKit” T5+/T5/T6 (RCHT8610WF, RCHT8612WF, TH6320WF2, TH6220WF2) PERFORMING A FACTORY RESET Press and hold Menu Press > until you see Reset, and then select it Press > until you see Factory Reset, and then select it Congratulations! You’ve reset your device! You can now configure your device for its new settings, either using the Resideo App, or on the thermostat screen itself. PERFORMING A WiFi RESET Press and hold Menu Press > until you see Reset, and then select it Press > until you see WiFi, and then select it Congratulations! You’ve reset your device! PERFORMING A SCHEDULE RESET Press and hold Menu Press [Symbol] until you see Reset, and then select it Press [Symbol] until you see Schedule, and then select it Congratulations! You’ve reset your device! PERFORMING A HOMEKIT RESET Press and hold Menu Press > until you see Reset, and then select it Press > until you see HomeKit Reset, and then select it Congratulations! You’ve reset your device! Smart/Lyric Round (TH8732WFH) PERFORMING A FACTORY RESET Press and hold the Cloud Icon Press i until you see Reset, and then select it Congratulations! You’ve reset your device! You can now configure your device for its new settings via the “+” icon, or “Add new device” button on your Resideo App. You can also configure your thermostat on the thermostat screen itself using the Installation Guide. PERFORMING A WiFi RESET Press and hold the Cloud Icon Press i until you see WiFi, and then select it Press i until you reach Setup, and then select it. Congratulations! You’ve reset your device! PERFORM A SCHEDULE RESET Press Menu Press Preferences Press Restore Default Schedule Congratulations! You’ve reset your device! PERFORMING A HOMEKIT RESET Press and hold the Cloud Icon Press i until you see HomeKit Reset, and then select it Congratulations! You’ve reset your device! Smart WiFi 9000 (RTH9580WF, RTH9585WF, TH9320WF) PERFORMING A FACTORY RESET Press Menu, and then select Preferences Press Restore Factory Defaults Select Yes Congratulations! You’ve reset your device! PERFORMING A WiFi RESET Press Menu Press WiFi Setup Congratulations! You’ve reset your device! PERFORMING A SCHEDULE RESET Press Menu Press Preferences Press Restore Default Schedule Congratulations! You’ve reset your device! FocusPro 6000 (TH6320WF1, RTH6580WF) PERFORM FACTORY RESET Press and hold and Fan Change the number on the left to 90, and the number on the right to 1 Press Done Congratulations! You’ve reset your device! You can now configure your device for its new settings on the thermostat screen. PERFORM A WiFi RESET Press and hold and Fan Change the number on the left to 39, and the number on the right to 0 Press Done Congratulations! You’ve reset your device! PERFORM A SCHEDULE RESET Press and hold and Fan Change the number on the left to 85, and the number on the right to 1 Press Done Congratulations! You’ve reset your device! VisionPRO 8000 (TH8320WF, RTH8580WF) PERFORM FACTORY RESET Press System Press and hold the blank box in the center Change the number on the left to 0710, and the number on the right to 1 Press Done Congratulations! You’ve reset your device! You can now configure your device for its new settings via the thermostat screen. PERFORM A WiFi RESET Press System Press and hold the blank box in the center Change the number on the left to 0900, and the number on the right to 0 Press Done Congratulations! You’ve reset your device! PERFORM A SCHEDULE RESET Press System Press and hold the blank box in the center Change the number on the left to 0165, and the number on the right to 1 Press Done Congratulations! You’ve reset your device! VisionPRO TH8321WF PERFORM FACTORY RESET Press Menu Go to Dealer Information Scroll to the bottom and write down the date code Press Done Scroll down to Installer Options Enter the date code. Select Reset to Defaults. Select Yes Congratulations! You’ve reset your device! You can now configure your device for its new settings via the thermostat screen. PERFORM A WiFi RESET Press Menu Press i until you see WiFi Setup Select WiFi Setup Congratulations! You’ve reset your device! PERFORM A SCHEDULE RESET Press Menu Press i until you see Preferences, and then select it Press i until you see Default Schedule, and then select it Congratulations! You’ve reset your device! Camera (C1, C2) PERFORM FACTORY RESET Press and hold the reset button for 45 seconds Congratulations! You’ve reset your device! You can now configure your device for its new settings via the “+” icon, or “Add new device” button on your Resideo App. PERFORM A WiFi RESET Press and hold the reset button for 45 seconds Congratulations! You’ve reset your device! Water Leak Detector PERFORM FACTORY RESET Press and hold the reset button for 45 seconds Congratulations! You’ve reset your device! You can now configure your device for its new settings via the “+” icon, or “Add new device” button on your Resideo App. PERFORM A WiFi RESET Press and hold the reset button for 45 seconds Congratulations! You’ve reset your device! Smart Home Security PERFORM FACTORY RESET Press and hold the action button for 30 seconds When prompted, press the action button once again Congratulations! You’ve reset your device! You can now configure your device for its new settings via the “+” icon, or “Add new device” button on your Resideo App. PERFORM A WiFi RESET Press and hold the action button for 30 seconds When prompted, press the action button once again Congratulations! You’ve reset your device! Troubleshoot Additional Thermostat Issues Check You Thermostat Wiring Capability Was this article helpful? Yes No Thanks for your feedback! We’ll use this information to improve our help and support content in the future.