

Continue



Test lead kit

Includes all the SureGrip™ leads and probes in a handy six-pocket, roll-up pouch, along with TL224... Comfort grip, silicone insulated, μ V measurement recommended. Straight and right angle in one extender to reach more test points. Extended capability for your test leads with a 7mm jaw opening. Fluke test leads, alligator clips and test probes broaden the ability to take meter measurements in... SureGrip™ accessories are designed to improve steadiness in slippery hands. Slim probe with test button keeps your eyes on the panel while probing hard to reach points. Ideal for electronics test and design, this master set includes 11 items in a handy pouch. One pair (red, black) silicone test leads with right angle shrouded 4 mm (0.16 in) banana plugs. SureGrip™ accessories are designed to improve steadiness in slippery hands. Very small 1 mm tips to access hard to reach test points Built in fuses for additional measurement protection. 1000 V, 11 A with 20 kA interrupt rating SureGrip™ accessories are designed to improve steadiness in slippery hands. One pair (red, black) of test leads with sharp needle point tips adjustable to desired length from 0... 1.5 meters of added lead length to reach more test points. SureGrip™ accessories are designed to improve steadiness in slippery hands. One pair (red, black) of slender probe bodies for probing closely spaced or recessed terminals. 3 Test Leads connected to Low-Leakage Probes (red, black, green)3 Alligator Clips (red, black,... Set of push-on adapters for TL71 and TL75 test probes. SureGrip™ accessories are designed to improve steadiness in slippery hands. Test lead replacement set for the 430 Series Power Quality Analyzer. One pair (red, black) of slender probe bodies for probing closely spaced or recessed terminals. 3 probing closely spaced or recessed terminals. When your job depends on every tool in your toolbox, Fluke test leads keep you working. Plated test... One pair (red, black) of slender probe bodies for probing closely spaced or recessed terminals. Single probe pierces 0.25 to 1.5 mm insulated wire. SureGrip™ accessories are designed to improve steadiness in slippery hands. Rubber overmolded... DMM test leads (red, black) with safety shrouded, standard diameter banana plugs 1 pair (red, black) of test leads with multi-stacking 4 mm banana plugs and mini-hooks. Set includes three Flexible Socket Probes and a Large Alligator Clip. Recommended for use with TL222 and TL224 Handy all-in-one kit that includes 3 Test Lead Sets. SureGrip Fused Test Probes with built-in replaceable fuses for additional measurement protection. Large jaws, long leads and a piercing needle inside the jaws. AC285-FTP includes model AC285, a pair of red and black extra large alligator clips plus adaptors to... 3 sets (red and black pairs) of multi-stacking 4 mm banana plug patch cords Provides firm and secure contact. 1 pair (red, black) of test leads with multi-stacking 4 mm banana plugs and micro-hooks. 1 pair (red, black) of test leads with multi-stacking 4 mm banana plugs and mini-pincers. Set of three safety designed insulated Probe Tip Alligator Clips. 5 ways to connect One pair (red, black) of flat, right angle design for connecting to bus bars. Modular clips are used with modular test leads and provides the flexibility to configure leads to... One pair (red, black) of slender probe bodies for probing closely spaced or recessed terminals. Replacement tips for TL910, 25 Foot Extended Test Lead Set 100 mm test lead for connecting measurement input to the Fluke 1730 Energy Logger. 2 m test lead for connecting measurement input to the Fluke 1730 Energy Logger. 1.5 m test lead for connecting measurement input to Fluke 17XX Power or Energy Loggers. Flat, three phase voltage connection cable for the Fluke 1730 Energy Logger. High Pressure Premium Fittings, BSP Fittings, 21 MPa (3000 psi) High Pressure Premium Fittings, Metric Fittings, 21 MPa (3000 psi) High Pressure Pneumatic Calibration Manifold, 21 MPa (3000 psi) RTD Probe for 721 and 719Pro Probe accessory set for usage with VPS200 and PM8918 series scope probes. Probe Accessory Set for usage with VPS200 & PM8918 Series Scope Probes. Standard battery test probes for Fluke 500 Series Battery Analyzers. Intelligent test probe set for Fluke BT520 Battery Analyzer (temperature measurement function not... Interactive Battery Analyzer Test Probe with angled tip for use with Fluke 500 Series Battery... In response to new ESA guidelines, Fluke introduces test probes with built-in fuses for additional... In response to new ESA guidelines, Fluke introduces test probes with built-in fuses for additional... Set of two (one red, one gray) Hook Clips, designed for use with STL 120 Shielded Test Leads, VPS40... Set of four Hook Clips (two red and two gray). The Fluke 1730 Energy Logger 12 inch iFlex flexible current probes measure to 1500A AC while... Designed for use with Fluke ScopeMeter 120-series. One (blue) 10:1 probe for low frequency applications. Useful bandwidth is 4 kHz, reducing noise... Set of replacement accessories for STL120-III and VPS40-III Contains replacement parts for usage with the VPS200 & PM8918 Scope Probes. Set of two (one red, one gray) double insulated silicone shielded test leads for noise free... Set of two (one red, one gray) double insulated silicone shielded test leads for noise free... Industrial shielded, 1:1, silicone insulated test lead set. Useful bandwidth 1 MHz. T5-RLS, Replacement Test Leads For Fluke T5-1000 or T5-600 Voltage, Continuity and Current Testers Set contains four 4mm adapters for banana plug (1 red, 1 gray, 2 black), four Backprobe pins for... Flexible and formable 1-¼ inch pin provides an easy connection past weather pack seals to connector... Stainless steel probe pierces insulation on 14, 16 and 18 gauge wire. You control needle depth to... Long (30 cm, 12") piercing probe extends your reach into a hot engine. This long probe keeps your... Better than a test probe alone - these two inch long rigid back probe pins easily pass between the... TRM50 Coaxial Feed-through BNC male to BNC female Cable Terminator For ScopeMeter 190 Series... Fluke VPS100 Voltage Probe Set, 100 MHz (red and gray) Double insulated voltage probe for ScopeMeter190 series. Keep your multimeter test leads from tangling with Fluke's LeadWrap test lead wraps. Three 8-inch... Double insulated voltage probe for ScopeMeter 190 series. Each probe set includes:600 V CAT III /... Double insulated voltage probe for ScopeMeter 190 series Double insulated voltage probe for ScopeMeter 190 series. Double insulated voltage probe for ScopeMeter 190 series. Double insulated voltage probe for ScopeMeter 190 series. Each probe set includes: ... Double insulated voltage probe for ScopeMeter 190 series.Each probe set includes: ... The Fluke AC288 Terminal Block Probe features a retractable probe tip that provides safe and secure... Clip set includes RJ-45-to-8-clip test lead for CableIQ™ or MicroScanner Flat, three-phase voltage connection cable for the Fluke Power and Energy Loggers. Measure up to 1500 V DC for solar, wind, and battery applications. Test leads are an integral part of the complete measurement system and extend the capabilities of... Ideal for testing electronic equipment and offers versatility with modular test probes, alligator... Earth Spike Test kit for Fluke 1653 5 pair (red, black) of double 4 mm banana plugs Foldable soft pouch with six pockets and hook-and-loop. Needed to perform 3-Pole Fall-of-Potential testing (Stake testing). Complete set of test and measurement accessories designed especially for automotive specialists. Everything you can find in the TLK281 Automotive Test Lead Kit, plus a few extras. Easy to use premium pressure transmitter test hose kit for connection to 1/4" female metric/BSP Test Lead kits should be in every electrical engineer's backpack. These versatile kits have all the type of connections you might need to test electrical circuits. We have covered some of the best kits that are both cost effective and efficient in use. So check out this list of 10 best Test lead kits that you can buy right now. A basic kit that includes alligator clips along with test lead extensions. The kit is available for just a fraction under 20\$ and by seeing the build quality of the products, we can say it is worth it. Available Here! Craftsman is one of the favorite brands when it comes to consumer hardware. These industrial scale leads are rated category 3 for use up to 600V. The kit even includes banana plugs to increase its field of use and the manufacturer even provides a storage pouch. Available Here! This lead test kit has interchangeable ports which provide a wide range of possibilities. The kit includes 43' long 4mm banana test leads with straight and 90 Degree connections, test probes, long back probes, safety test probes. Available Here! An affordable 30\$ test lead kit that includes ADSL2 silicone leads and ASA2 alligator leads. The simple product is ideal for students and beginners. Available Here! One of the best value buys on our list. The kit includes two 5.6 inch heavy duty test probe handles with 0.16-inch banana plug tip at both ends & two more 41 inch PVC extensions. For a price of under 15\$, this seems like a bargain. Available Here! This set includes one pair of 64 inches interconnects leads which are actually longer than offered by most others. The kit includes test probes and even a deluxe roll-up storage pouch that makes it easy for you to carry it along. Available Here! The only kit that contains multi-color identified leads instead of just black and red. The kit includes 45 and 90-degree probes in .027" and .040" diameters along with two 12" leads to permit testing in hard to reach areas. Available Here! Radioshack is well known as an electronics firm that is very popular with hobbyists. As per the manufacturer, the kit includes Insulated breadboard pins with gold plating fit standard 0.25" (.64mm) square holes, gold plated nano plunger clips & even a carrying case. Available Here! A heavy duty kit includes; Two alligator clips with removable insulators, Two plunger mini-hooks, Two modular 4-inch Heavy Duty test probe handles with 0.16-inch banana plug tip & two 42 inch PVC lead extensions. Extch has two other kits that are sold as compact multimeter bundle and full multimeter bundles. Available Here! If you are looking for a kit that can provide a solution for nearly every scenario, then this 70 piece kit is all you need. The industrial grade set is suitable for use with both 12 and 24V automotive parts. The kit essentially includes piercing probes, test probes, Alligator clips, turn variable resistors with banana plugs, connecting plugs and acicular probes. Available Here! Related posts: 10 Best Digital Multimeters For Engineers And Hobbyists Includes all the SureGrip™ leads and probes in a handy six-pocket, roll-up pouch, along with TL224... Comfort grip, silicone insulated, μ V measurement recommended. Straight and right angle in one extender to reach more test points. Extended capability for your test leads with a 7mm jaw opening. Fluke test leads, alligator clips and test probes broaden the ability to take meter measurements in... SureGrip™ accessories are designed to improve steadiness in slippery hands. Slim probe with test button keeps your eyes on the panel while probing hard to reach points. Ideal for electronics test and design, this master set includes 11 items in a handy pouch. One pair (red, black) silicone test leads with right angle shrouded 4 mm (0.16 in) banana plugs. SureGrip™ accessories are designed to improve steadiness in slippery hands. Very small 1 mm tips to access hard to reach test points Built in fuses for additional measurement protection. 1000 V, 11 A with 20 kA interrupt rating SureGrip™ accessories are designed to improve steadiness in slippery hands. One pair (red, black) of test leads with sharp needle point tips adjustable to desired length from 0... 1.5 meters of added lead length to reach more test points. SureGrip™ accessories are designed to improve steadiness in slippery hands. Test lead replacement set for the 430 Series Power Quality Analyzer. One pair (red, black) of slender probe bodies for probing closely spaced or recessed terminals. When your job depends on every tool in your toolbox, Fluke test leads keep you working. Plated test... One pair (red, black) of slender probe bodies for probing closely spaced or recessed terminals. Single probe pierces 0.25 to 1.5 mm insulated wire. SureGrip™ accessories are designed to improve steadiness in slippery hands. Rubber overmolded... DMM test leads (red, black) with safety shrouded, standard diameter banana plugs 1 pair (red, black) of test leads with multi-stacking 4 mm banana plugs and mini-hooks. Set includes three Flexible Socket Probes and a Large Alligator Clip. Recommended for use with TL222 and TL224 Handy all-in-one kit that includes 3 Test Lead Sets. SureGrip Fused Test Probes with built-in replaceable fuses for additional measurement protection. Large jaws, long leads and a piercing needle inside the jaws. AC285-FTP includes model AC285, a pair of red and black extra large alligator clips plus adaptors to... 3 sets (red and black pairs) of multi-stacking 4 mm banana plug patch cords Provides firm and secure contact. 1 pair (red, black) of test leads with multi-stacking 4 mm banana plugs and micro-hooks. 1 pair (red, black) of test leads with multi-stacking 4 mm banana plugs and mini-pincers. Set of three safety designed insulated Probe Tip Alligator Clips. 5 ways to connect One pair (red, black) of flat, right angle design for connecting to bus bars. Modular clips are used with modular test leads and provides the flexibility to configure leads to... One pair (red, black) of slender probe bodies for probing closely spaced or recessed terminals. Replacement tips for TL910, 25 Foot Extended Test Lead Set 100 mm test lead for connecting measurement input to the Fluke 1730 Energy Logger. 2 m test lead for connecting measurement input to the Fluke 1730 Energy Logger. 1.5 m test lead for connecting measurement input to Fluke 17XX Power or Energy Loggers. Flat, three phase voltage connection cable for the Fluke 1730 Energy Logger. High Pressure Premium Fittings, BSP Fittings, 21 MPa (3000 psi) High Pressure Premium Fittings, Metric Fittings, 21 MPa (3000 psi) High Pressure Premium Fittings, NPT Fittings, 21 MPa (3000 psi) High Pressure Pneumatic Calibration Manifold, 21 MPa (3000 psi) RTD Probe for 721 and 719Pro Probe accessory set for usage with VPS200 and PM8918 series scope probes. Probe Accessory Set for usage with VPS200 & PM8918 Series Scope Probes. Standard battery test probes for Fluke 500 Series Battery Analyzers. Intelligent test probe set for Fluke BT520 Battery Analyzer (temperature measurement function not... Interactive Battery Analyzer Test Probe with angled tip for use with Fluke 500 Series Battery... In response to new ESA guidelines, Fluke introduces test probes with built-in fuses for additional... In response to new ESA guidelines, Fluke introduces test probes with built-in fuses for additional... Set of two (one red, one gray) Hook Clips, designed for use with STL 120 Shielded Test Leads, VPS40... Set of four Hook Clips (two red and two gray). The Fluke 1730 Energy Logger 12 inch iFlex flexible current probes measure to 1500A AC while... Designed for use with Fluke ScopeMeter 120-series. One (blue) 10:1 probe for low frequency applications. Useful bandwidth is 4 kHz, reducing noise... Set of replacement accessories for STL120-III and VPS40-III Contains replacement parts for usage with the VPS200 & PM8918 Scope Probes. Set of two (one red, one gray) double insulated silicone shielded test leads for noise free... Set of two (one red, one gray) double insulated silicone shielded test leads for noise free... Industrial shielded, 1:1, silicone insulated test lead set. Useful bandwidth 1 MHz. T5-RLS, Replacement Test Leads For Fluke T5-1000 or T5-600 Voltage, Continuity and Current Testers Set contains four 4mm adapters for banana plug (1 red, 1 gray, 2 black), four Backprobe pins for... Flexible and formable 1-¼ inch pin provides an easy connection past weather pack seals to connector... Stainless steel probe pierces insulation on 14, 16 and 18 gauge wire. You control needle depth to... Long (30 cm, 12") piercing probe extends your reach into a hot engine. This long probe keeps your... Better than a test probe alone - these two inch long rigid back probe pins easily pass between the... TRM50 Coaxial Feed-through BNC male to BNC female Cable Terminator For ScopeMeter 190 Series... Fluke VPS100 Voltage Probe Set, 100 MHz (red and gray) Double insulated voltage probe for ScopeMeter190 series. Keep your multimeter test leads from tangling with Fluke's LeadWrap test lead wraps. Three 8-inch... Double insulated voltage probe for ScopeMeter 190 series. Each probe set includes: ... Double insulated voltage probe for ScopeMeter 190 series. Double insulated voltage probe for ScopeMeter 190 series. Double insulated voltage probe for ScopeMeter 190 series. Each probe set includes: ... Double insulated voltage probe for ScopeMeter 190 series.Each probe set includes: ... The Fluke AC288 Terminal Block Probe features a retractable probe tip that provides safe and secure... Clip set includes RJ-45-to-8-clip test lead for CableIQ™ or MicroScanner Flat, three-phase voltage connection cable for the Fluke Power and Energy Loggers. Measure up to 1500 V DC for solar, wind, and battery applications. Test leads are an integral part of the complete measurement system and extend the capabilities of... Ideal for testing electronic equipment and offers versatility with modular test probes, alligator... Earth Spike Test kit for Fluke 1653 5 pair (red, black) of double 4 mm banana plugs Foldable soft pouch with six pockets and hook-and-loop. Needed to perform 3-Pole Fall-of-Potential testing (Stake testing). Complete set of test and measurement accessories designed especially for automotive specialists. Everything you can find in the TLK281 Automotive Test Lead Kit, plus a few extras. Easy to use premium pressure transmitter test hose kit for connection to 1/4" female metric/BSP Our quality, dependable test leads, probes and connector kits come in a broad array of commonly used sizes and configurations, ideal for many types of electrical testing apparatus and equipment. These include numerous versatile variants of both 2mm and 4mm safety measuring lead systems, as well as multiple options for crocodile clip connectors, patch cords, probes, multi-lead connector kits, and a choice of handy accessories.We source our testing lead products from trusted manufacturers including Fluke, Hirschmann, Mueller, Schutzinger and Multi Contact, as well as offering our own brand RS PRO line to ensure consistently reliable performance and results across a range of testing applications.Why is it important to choose the right test leads for different jobs?The full catalogue of test leads and related products available on our site includes:0.64mm, 1mm, 2mm and 4mm Connector Test Leads4mm Test Probe Leads - available in both needle probe and spring probe variantsBNC Test LeadsClip Connector Test Leads - quality crocodile clip leads come in different safety categories (CAT II, CAT III etc) and voltage ratings, as well as a range of jaw sizesCoaxial Test LeadsPatch CordsTest Lead & Connector Kits - these contain various different types of test leads and connection attachments, for optimal flexibilityTest Lead Extension Reels - ideal for testing at distanceTest Lead Racks - a handy solution for tidy storage of modular leads, probes and connector clipsMost test leads are typically designed to be used with multimeters for checking parameters like voltage, current and capacitance.Choosing the appropriate type of test lead for the checks, functions and device types you're working with is vital for achieving both accurate results and overall user safety. Ensure you know which leads are compatible with the testers you're using before connecting to DUTs (devices under test).The best choice of test lead for your safety system and verification needs will depend on device types, voltages and more, with the main aim being to create a safe and accurate setup when used with various types of compatible electrical testing apparatus.