

Continue



















## pdf دكاك القلب ase المبادئ التوجيهية

ScienceDirect/Rightslink. Reprints may be obtained from Elsevier: less than 250 copies; for more than 250 copies, please contact reprints@elsevier.com. NOTICE AND DISCLAIMER: These reports are made available by ASE as a courtesy reference source for its members. The reports contain recommendations only and should not be used as the sole basis to make ical practice decisions or for disciplinary action against any employee. The statements and recommendations contained in these reports are primarily based on the opinions of experts, rather than on scientifically-verified data. ASE makes no express or implied warranties regarding the completeness or accuracy of the information in these reports, including the warranty of merchantability or fitness for a particular purpose. In no event shall ASE be liable to you, your patients, or any other third parties for any decision made or action taken by you or such other parties in reliance on this information. Nor does your use of this information constitute the offering of real advice by ASE or create any physician-patient relationship between ASE and your patients or anyone else. For translated guideline documents (Mandarin, Spanish and Portuguese), please visit here. DISEASE-BASED New Document Clinical Recommendations for Multimodality Cardiovascular Imaging of Patients with Pericardial Disease, JASE, September 2013 Clinical Recommendations for Multimodality Cardiovascular Imaging of Patients with Hypertrophic Cardiomyopathy, JASE, May 2011 RADIO-ONCOLOGY New Document Expert Consensus for Multi-Modality Imaging Evaluation of Cardiovascular Complications of Radiotherapy in Adults: A Report from the European Association of Cardiovascular Imaging and the American Society of Echocardiography, JASE, September 2013 PERIOPERATIVE/TEE New Document Guidelines for Performing a Comprehensive Transesophageal Echocardiography Examination: Recommendations from the American Society of Echocardiography and the Society of Cardiovascular Anesthesiologists, JASE, September 2013 Basic Perioperative Transesophageal Echocardiography Examination: A Consensus Statement of the American Society of Echocardiography and the Society of Cardiovascular Anesthesiologists, JASE, May 2013 Guidelines for the Performance of a Comprehensive Intraoperative Esophageal Ultrasonographic Examination, JASE, November 2007 Guidelines for Performing a Comprehensive Epicardial Echocardiography Examination: Recommendations of the American Society of Echocardiography and the Society of Cardiovascular Anesthesiologists, JASE, April 2007 ASE/SCA Recommendations and Guidelines for Continuous Quality Improvement in Perioperative Echocardiography, JASE, November 2006 ASE Indications and Guidelines for Performance of Transesophageal Echocardiography in the Patient with Pediatric Acquired or Congenital Heart Disease, JASE, January 2005 ASE and SCA Task Force Guidelines for Training in Perioperative Echocardiography, JASE, June 2002, ASE/SCA Guidelines for Performing a Comprehensive Intraoperative Multiplane Transesophageal Examination, JASE, October 1999 FOCUSED CARDIAC ULTRASOUND NEW DOCUMENT Focused Cardiac Ultrasound: Recommendations from the American Society of Echocardiography, JASE, June 2013 Focused Cardiac Ultrasound in the Emergent Setting: A Consensus Statement of the American Society of Echocardiography and American College of Emergency Physicians, JASE, December 2010 Hand-carried Ultrasound Device: Recommendations Regarding New Technology, JASE, April 2002 [ASE Position Statement Addendum] Echocardiography in Emergency Medicine: A Policy Statement by the ASE and the ACC, JASE, January 1999 3D ECHOCARDIOGRAPHY Recommendations for Image Acquisition and Display Using Three-Dimensional Echocardiography, JASE, January 2012 3D Echocardiography: A Review of the Current Status and Future Directions, JASE, March 2007 VALVES Recommendations for the Use of Echocardiography in New Transcatheter Interventions for Valvular Heart Disease, JASE, September 2011 Recommendations for Evaluation of Prosthetic Valves With Echocardiography and Doppler Ultrasound, JASE, September 2009 • A Chinese translation of this document is available. Echocardiographic Assessment of Valve Stenosis: EAE/ASE Recommendations for Clinical Practice, JASE, January 2009 Document Errata: 1. On Page 9, 3rd paragraph on left: The dose of dobutamine for dobutamine stress echo for evaluating low gradient aortic stenosis is mentioned as "2.5 or 5m/kg/min with an incremental increase in the infusion every 3-5 min to a maximum dose of 10-20 mg/kg/min." The mg is a typographical error and should be mcg/kg/min or ug/kg/min. 2. Page 14: The formula on left in section B.1.5: MVA =  $\pi (r_2)^2 (V_{...})$  is incorrect. The correct formula is MVA =  $2\pi (r_2)^2 (V_{...})$ . Recommendations for Evaluation of the Severity of Native Valvular Regurgitation with Two-Dimensional and Doppler Echocardiography, JASE, July 2003 MULTIMODALITY DOCUMENTS New Document Multimodality Imaging Guidelines for Patients with Repaired Tetralogy of Fallot: A Report from the American Society of Echocardiography, JASE, February 2014 New Document Expert Consensus for Multi-Modality Imaging Evaluation of Cardiovascular Complications of Radiotherapy in Adults: A Report from the European Association of Cardiovascular Imaging and the American Society of Echocardiography, JASE, September 2013 New Document Clinical Recommendations for Multimodality Cardiovascular Imaging of Patients with Pericardial Disease, JASE, September 2013 Clinical Recommendations for Multimodality Cardiovascular Imaging of Patients with Hypertrophic Cardiomyopathy, JASE, May 2011. RESYNCHRONIZATION / MECHANICS Current and Evolving Echocardiographic Techniques for the Quantitative Evaluation of Cardiac Mechanics: ASE/EAE Consensus Statement on Methodology and Indications, JASE, March 2011 Echocardiography for Cardiac Resynchronization Therapy: Recommendations for Performance and Reporting-A Report from the American Society of Echocardiography Dyssmchroony Writing Group, JASE, March 2008 APPROPRIATE USE CRITERIA ACCF/ASE/AHA/ASNC/HFSA/HRS/SCAI/SCCM/SCCT/SCMR 2011 Appropriateness Use Criteria for Echocardiography document, JASE, March 2011 ACCF/ASE/ACEP/AHA/ASNC/SCAI/SCCT/SCMR 2008 Appropriateness Criteria for Stress Echocardiography This document has been replaced by the 2011 Appropriateness Use Criteria for Echocardiography document. ACCF/ASE/ACEP/ASNC/SCAI/SCCT/SCMR 2007 Appropriateness Criteria for Transthoracic and Transesophageal Echocardiography This document has been replaced by the 2011 Appropriateness Use Criteria for Echocardiography document. REPORTING / QUALITY American Society of Echocardiography Recommendations for Quality Echocardiography Laboratory Operations, JASE, January 2011 ASE Guidelines and Recommendations for Digital Echocardiography, JASE, March 2005 Recommendations for a Standardized Report for Adult Transthoracic Echocardiography, JASE, September 2001 Recommendations for CQI in Echocardiography, JASE, September-October 1995 (See American Society of Echocardiography Recommendations for Quality Echocardiography Laboratory Operations, JASE, January 2011) VASCULAR Guidelines for Performing Ultrasound Guided Vascular Cannulation: Recommendations of the American Society of Echocardiography and the Society of Cardiovascular Anesthesiologists, JASE, December 2011 Use of Carotid Ultrasound to Identify Subclinical Vascular Disease and Evaluate Cardiovascular Disease Risk: A Consensus Statement from the American Society of Echocardiography Carotid Intima-Media Thickness Task Force Endorsed by the Society for Vascular Medicine, JASE, February 2008 Clinical Application of Noninvasive Vascular Ultrasound in Cardiovascular Risk Stratification: A Report from the American Society of Echocardiography and the Society of Vascular Medicine and Biology, JASE, August 2006 Guidelines for Noninvasive Vascular Laboratory Testing: A Report from the American Society of Echocardiography and the Society of Vascular Medicine and Biology, JASE, August 2006 CHAMBER QUANTIFICATION Guidelines for the Echocardiographic Assessment of the Right Heart in Adults: A Report from the American Society of Echocardiography, JASE, July 2010 Document Errata: 1. Page 686, last line should read "mm indicate at end-systole RA enlargement." 2. Page 699, section C, Mean PA Pressure, sentence beginning at line 8 of that section should read: "Generally, the shorter the AT (measured from the onset of flow on the pulsed Doppler envelope in the RVOT to the peak pulmonary flow velocity in the same envelope), the higher the PVR and hence the PA pressure, provided the heart rate is in the normal range of 60 to